

()																			
http://www.smics.com/chn/about/esh.php																			
()																			
/ 9112011171786977N																			
19																			
18920269137																			
8 110000																			
, P1 30 P2																			
P1 7 P2 6																			
-																			
										(P1) (P1)		1#	2#	3#	4#	5#	6#	7#	
										mg/m ³		7.05	6.32	6.32	6.25	6.82	5.52	5.08	
										mg/m ³		2.12	1.76	1.76	3.04	2.88	3.83	1.85	
										mg/m ³		5.9	5.6	5.1	2.8	2.9	2.4	1.4	
										mg/m ³								0.21	
										(P2) (P2)		8#	9#	10#	11#	12#	13#		
										mg/m ³		4.82	4.65	5.09	4.78	5.3	4.98	13.619	
										mg/m ³		3.19	1.41	3.84	2.87	0.93	2.29	9.207	
										mg/m ³		2.2	1.8	1.4	1.9	1	1.4	6.677	
										mg/m ³								0.334	
										GB16297-1996									

37.9165 / 3.6592 / 2.8917 /

P1 RTO

	(P1)	1#	
VOCs	mg/m ³	2.55	
	(P2)	2#	
VOCs	mg/m ³	14.3	7.464

DB12-524 -2014

	pH						
P1	8.31	186	8.09	0.68	6.78	0.09	15.3
mg/L		136.58	5.37	0.94	4.60	0.32	8.83
	pH						
P2	7.65	139	3.09	0.07	2.29	0.08	6.45
mg/L		113.72	4.11	1.20	9.74	0.44	9.48

	2022 1